

# MSDS - Material Safety Data Sheet

**Product Name:** *Depth Shine Floor Finish*

**MSDS No.:** 07

**I. Basic Information:**

**Manufacturer:** Lanco Chemical  
**Address:** Box 473  
**City, ST Zip:** Mansfield, OH 44901



**Last Update:** 8/18/98

**Chemical State:**  Liquid     Gas     Solid

**Chemical Type:**  Pure     Mixture

1	Health
0	Flammability
0	Reactivity
B	Pers. Protection

**II. Ingredients:**

CAS No.	Chemical Name	% Range	EHS	NTP	IARC	SARA SUB Z 313	OSHA PEL	ACGIH TLV	Other Limits
111900	Diethylene glycol monoethyl ether	3-7							
34590948	Dipropylene glycol methyl ether	2-6							
0	Emulsified acrylic polymers	10-30							
0	Emulsified polymer wax	1-5							
78513	Tributoxyrthyl phosphate	1-5							
7732185	Water	60-100							

**III. Hazardous Identification:**

**Hazard Category:**  
 Acute     Chronic     Fire     Pressure     Reactive

**Hazardous Identification Information:**  
 Eye and skin-May cause irritation on contact.    Ingestion-May be harmful if swallowed Inhalation-No effects expected

**IV. First Aid Measures:**

**Route(s) of Entry:**  
 Skin absorption, Inhalation

**Health Hazards (Acute and Chronic):**  
 NA

**Signs and Symptoms:**  
 Irritation on direct contact

**Medical Conditions Generally Aggravated by Exposure:**  
 None Known

# MSDS - Material Safety Data Sheet

**Product Name:** *Depth Shine Floor Finish*

**MSDS No.:** 07

**Emergency and First Aid Procedures:**

Swallowed-Do not induce vomiting. Drink water in large amounts and call a physician . Eyes-Flush with running water for at least 15 minutes. If irritation persists, obtain medical attention. Skin-Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.

**Other Health Warnings:**

None Known

## V. Fire Fighting Measures:

**Flash Point:** None                      **Lower Explosive Limit:** NA                      **Upper Explosive Limit:** NA  
**Fire Extinguishing Media:** None Known

**Special Fire Fighting Procedures:**

None Known

**Unusual Fire and Explosion:**

None Known

## VI. Accidental Release Measures:

**Steps to be Taken in Case Material is Released or Spilled:**

Dike and contain spill with inert material. Collect spill with mop, absorbant material or vacuum. Thoroughly rinse affected area with water.

## VII. Handling and Storage:

**Precautions to be Taken:**

Minimum 40 F; Maximum 100 F

**Other Precautions:**

Keep out of reach of children. Keep from freezing.

## VIII. Exposure Controls/Personal Protection:

**Ventilation Requirements:**

Normal good ventilation sufficient

**Personal Protective Equipment:**

Protective gloves-Rubber or synthetic    Footwear-Not required  
Eye protection-Approved safety goggles or glasses

## IX. Physical and Chemical Properties:

**Boiling Point:** 212 F                      **Melting Point:** NA                      **Evaporation Rate:** NA  
**Vapor Pressure (mm Hg.):** NA                      **Vapor Density (AIR = 1):** >1  
**Solubility In Water:** Complete  
**Appearance and Odor:** Milky liquid, Mild acrylic odor  
**Other Information:** NA

# MSDS - Material Safety Data Sheet

**Product Name:** *Depth Shine Floor Finish*

**MSDS No.:** 07

## **X. Stability and Reactivity:**

**Stability:**

Stable

**Incompatibility (Materials to Avoid):**

NA

**Decomposition/By Products:**

NA

**Hazardous Polymerization:**

Will not occur.

## **XI. Toxicological Information:**

NA

## **XII. Ecological Information:**

NA

## **XIII. Disposal Considerations:**

Solution may contain zinc. Coagulate with ferric chloride or sulfate and then lime. Decant the clear liquid to a sewer. Dispose of the coagulum by sanitary landfill or incinerator. Follow all existing pollution ordinances.

## **XIV. Transport Information:**

Shipping classification-buffing or polishing compound

## **XV. Regulatory Information:**

NA

## **XVI. Other Information:**

EMERGENCY TELEPHONE NO. 419-524-5112

Distributed by-G & L Supply 139 N. Diamond St. Mansfield, Oh 43901  
The Janton Company 1288 N. High St. Columbus, Oh 43201

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originated from the company or not. Recipients are advised to confirm, in advanced of their need, that the information is current, applicable and suitable and suitable to their circumstances