


MSDS - Material Safety Data Sheet**Product Name: Hio Gym Finish****MSDS No.: 95****I. Basic Information:**

Manufacturer: Federal International Chemicals
Address: 1191 S. Wheeling Rd.
City, ST Zip: Wheeling, IL 50090

**Last Update:** 7/15/93

Chemical State: Liquid Gas Solid

Chemical Type: Pure Mixture

1	Health
1	Flammability
0	Reactivity
B	Pers. Protection

II. Ingredients:

CAS No.	Chemical Name	% Range	EHS	NTP	IARC	SARA SUB Z 313	OSHA PEL	ACGIH TLV	Other Limits
0	Mineral Spirits								
8052413	Stoddard solvent								

III. Hazardous Identification:**Hazard Category:**

Acute Chronic Fire Pressure Reactive

Hazardous Identification Information:

May cause throat, nose, and eye irritation.

Chronic Effects: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

IV. First Aid Measures:**Route(s) of Entry:**

Inhalation, Ingestion, and Skin Absorption

Health Hazards (Acute and Chronic):

May cause throat, nose, and eye irritation.

Chronic Effects: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Signs and Symptoms:

Irritation and redness

Medical Conditions Generally Aggravated by Exposure:

Any preexisting respiratory or skin conditions

Emergency and First Aid Procedures:

Eyes: Immediately flush with water for at least 15 minutes and Get Medical Attention.

Skin Contact: Wash thoroughly with soap and water.

Inhalation: If affected by inhalation of vapor or spray mist. Remove to fresh air.

Swallowing: If swallowed. Get Medical Attention Immediately

Other Health Warnings:

MSDS - Material Safety Data Sheet

Product Name: *Hio Gym Finish*

MSDS No.: 95

Noner Known

V. Fire Fighting Measures:

Flash Point: 10.5 **Lower Explosive Limit:** 1.00 **Upper Explosive Limit:** 5.00

Fire Extinguishing Media: In case of fire use water spray fog, alcohol foam, dry chemical, or carbon dioxide.
Water Spray may be used to cool containers and keep exposed material from being damaged by fire.

Special Fire Fighting Procedures:

Fire Fighters must wear self contained breathing apparatus with full air masks.
Containers exposed to fire should be kept cool with water spray.

Unusual Fire and Explosion:

Closed containers may explode due to build up of pressure when exposed to heat.

VI. Accidental Release Measures:

Steps to be Taken in Case Material is Released or Spilled:

For large spills in a confined area remove with inert absorbent and non-sparking tools.
Avoid breathing of vapors, use self contained breathing apparatus or air mask for spills.

VII. Handling and Storage:

Precautions to be Taken:

Keep away from heat, sparks and open flames. Keep container closed when not in use. Do not store above 120 F Based on the product flash point and vapor pressure suitable storage should be provided in accordance with OSHA regulations 1910.105. Empty containers may contain products residue.

Other Precautions:

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Required when spraying or applying in confined area.

Personal Protective Equipment:

Protective Clothing: Avoid contact with eyes. Wear chemical goggles if there is the possibility of contact or splashing in the eyes.
Avoid prolonged or repeated contact with skin. Wear chemical resistant gloves and other clothing to keep exposure to a minimum cover arms and legs. Contact lenses should not be worn when working with chemicals because contact lenses may contribute to the severity of an eye injury in case of exposure.

IX. Physical and Chemical Properties:

Boiling Point: 315 F **Melting Point:** NE **Evaporation Rate:** 1

Vapor Pressure (mm Hg.): 2.0 **Vapor Density (AIR = 1):** 5.1

Solubility In Water: NONE

Appearance and Odor: amber, mineral salt odor

Other Information: None Known

MSDS - Material Safety Data Sheet

Product Name: *Hio Gym Finish*

MSDS No.: 95

X. Stability and Reactivity:

Stability:

Stable

Incompatibility (Materials to Avoid):

None Known

Decomposition/By Products:

ammonia compounds, nitrogen oxides, and carbon dioxide/monoxide

Hazardous Polymerization:

Will not occur

XI. Toxicological Information:

None Known

XII. Ecological Information:

None Known

XIII. Disposal Considerations:

Dispose in chemical disposal area or in a manner that complies with local, state, and federal regulations. Do not incinerate closed containers.

XIV. Transport Information:

None Known

XV. Regulatory Information:

Do not cut, puncture, step on, or wear containers. All label warnings must be observed until the container has been cleaned or reconditioned.

XVI. Other Information:

The information contained herein is based on data considered to be accurate. The corporation makes no warranties express or implied and assumes no responsibility for the accuracy or completeness or the data. The corporation further assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by this material. Such vendees or users assume all risks associated with the use of this material.

EMERGENCY TELEPHONE NO. 419-524-5112

Distributed by-G & L Supply 139 N. Diamond St. Mansfield, Oh 44901

The Janton Company 1288 N. High St. Columbus, Oh 43201